ELSEVIER

Chemistry and Physics of Lipids
74 (1994) 211

Chemistry and Physics
of
LIPIDS

Author index

Volume 74 (1994)

Attard, G.S. **74**, 83

Baczynskyj, O. **74**, 163
Blackaby, W.P. **74**, 83
Bondar, O.P. **74**, 93
Brodersen, R. **74**, 43
Buffenbarger, S.L. **74**, 163
Buxser, S.E. **74**, 163

Cambria, A. **74**, 25
Castelli, F. **74**, 25
Chardigny, J.-M. **74**, 175, 185
Cheng, K.H. **74**, 49

Decker, D. **74**, 163
Dietrich, U. **74**, 17
Dong Doan, H. **74**, 185
de Buyck, L. **74**, 39
de Rijk, T. **74**, 39
de Wit, D. **74**, 39

Epps, D.E. **74**, 163
Eynard, T. **74**, 175

Ferretti, A. **74**, 65
Flanagan, V.P. **74**, 65

Gericke, A. **74**, 205
Gerst, N. **74**, 1
Grandgirard, A. **74**, 185
Guido, D.M. **74**, 163

Hedström, G. **74**, 195
Hühnerfuss, H. **74**, 205

Kézdy, F.J. **74**, 163
Klose, G. **74**, 17
Knechtel, T.J. **74**, 163

Leach, A.R. **74**, 83
Lutzke, B.S. **74**, 163

Mathews, W.R. **74**, 163
Mattjus, P. **74**, 195
McCall, J.M. **74**, 163
Melnykovych, G. **74**, 93

Noël, J.-P. **74**, 175

Oliver, L.K. **74**, 163

Paltauf, F. **74**, 101
Parish, E.J. **74**, 1
Pinkerton, F.D. **74**, 1
Poullain, D. **74**, 175

Raudino, A. **74**, 25
Rowe, E.S. **74**, 93

Sarpietro, M.G. **74**, 25
Schroepfer, Jr., G.J. **74**, 1
Sébédio, J.-L. **74**, 175, 185
Siddiqui, A.U. **74**, 1
Slotte, J.P. **74**, 195
Somerharju, P. **74**, 49
Stallmach, F. **74**, 17
Sugar, I. **74**, 49

Tassignon, P. **74**, 39

Vatèle, J.-M. **74**, 175, 185
Vorum, H. **74**, 43

Wilson, W.K. **74**, 1

Zeidler, J. **74**, 73
Zimmermann, W. **74**, 73

0009-3084/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Chemistry and Physics of Lipids
74 (1994) 212–214

Chemistry and Physics of LIPIDS

Subject index

Volume 74 (1994)

Acyl chain length; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Lipid interaction; Phase separation; Fluorescence microscopy **74**, 195

Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); red blood cell; Osmotic fragility **74**, 163

Adsorption; Fatty acid; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids; Liposomes **74**, 43

Amides; Prostaglandin F; Metabolite; PGF-M; Electron ionization; Mass spectrometry **74**, 65

Anticoagulant; Adsol; Tirilazad mesylate (U-74,006f); red blood cell; Osmotic fragility **74**, 163

Aqueous solution; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Solubility of fatty acids; Liposomes **74**, 43

[1-^{14}C]-labelled fatty acids; *Trans* linolenic acids synthesis; Wittig reaction **74**, 175

Catalysis; Methyl 9-oxo-10,12-E,E-octadecadienoate; Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate **74**, 39

Catalyzed acetylenic coupling; Wittig reaction; β,γ-Unsaturated aldehydes; *n*-3 *trans* Polyunsaturated fatty acids **74**, 185

Chiral sulphur compound; Phospholipid synthesis; Cyclic platelet activating factor analogue; Cyclic thioether **74**, 73

Cholesterol; Monolayer membranes; Cholesterol oxidase; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy **74**, 195

Cholesterol; Vitamin D_3; Thermotropic properties; Lipid chains **74**, 25

Cholesterol oxidase; Monolayer membranes; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy **74**, 195

Conformational analysis; 15-Ketosterols; Liquid-ammonia reduction; NMR **74**, 1

Cubic phases; Glycolipids; Phase behaviour; Liquid crystals **74**, 83

Cyclic platelet activating factor analogue; Phospholipid synthesis; Cyclic thioether; Chiral sulphur compound **74**, 73

Cyclic thioether; Phospholipid synthesis; Cyclic platelet activating factor analogue; Chiral sulphur compound **74**, 73

Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate; Methyl 9-oxo-10,12-E,E-octadecadienoate; Catalysis **74**, 39

Cytostatic ether lipids; Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; 1,2-di-*O*-alkylglycerophospholipids; Phospholipases; Phospholipid transfer **74**, 101

Dimyristoylphosphatidylcholine-liposomes; Farnesol; Phase transition **74**, 93

Electron ionization; Prostaglandin F; Metabolite; PGF-M; Amides; Mass spectrometry **74**, 65

Enzymatic process; IR reflection absorption spectroscopy; Monolayers; Phospholipids; Phospholipase A_2 **74**, 205

Farnesol; Dimyristoylphosphatidylcholine-liposomes; Phase transition **74**, 93

Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids; Liposomes **74**, 43

Fluorescence microscopy; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation **74**, 195

Freundlich's adsorption isotherm; Fatty acid; Adsorption; Aqueous solution; Solubility of fatty acids; Liposomes **74**, 43

Glycolipids; Phase behaviour; Liquid crystals; Cubic phases **74**, 83

Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester **74**, 17

0009-3084/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

Internal motions of acyl chains; Kinetic models; Metastable state **74**, 49

IR reflection absorption spectroscopy; Monolayers; Phospholipids; Phospholipase A_2; Enzymatic process **74**, 205

15-Ketosterols; Liquid-ammonia reduction; NMR; Conformational analysis **74**, 1

Kinetic models; Metastable state; Internal motions of acyl chains **74**, 49

Lipid chains; Cholesterol; Vitamin D_3; Thermotropic properties **74**, 25

Lipid interaction; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Phase separation; Fluorescence microscopy **74**, 195

Liposomes; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Solubility of fatty acids **74**, 43

Liquid crystals; Glycolipids; Phase behaviour; Cubic phases **74**, 83

Liquid-ammonia reduction; 15-Ketosterols; NMR; Conformational analysis **74**, 1

Mass spectrometry; Prostaglandin F; Metabolite; PGF-M; Amides; Electron ionization **74**, 65

Metabolite; Prostaglandin F; PGF-M; Amides; Electron ionization; Mass spectrometry **74**, 65

Metastable state; Kinetic models; Internal motions of acyl chains **74**, 49

Methyl 9-oxo-10,12-E,E-octadecadienoate; Cyclohexyl 9-oxo-10,12-E,E-octadecadienoate; Catalysis **74**, 39

Mixed lipid bilayers; Hydration force; Osmotic stress technique; X-ray diffraction; POPC; Phosphonic acid dibutyl ester **74**, 17

Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy **74**, 195

Monolayers; IR reflection absorption spectroscopy; Phospholipids; Phospholipase A_2; Enzymatic process **74**, 205

NMR; 15-Ketosterols; Liquid-ammonia reduction; Conformational analysis **74**, 1

1-*O*-alkyl-2-acylglycerophospholipids; Plasmalogens; 1,2-di-*O*-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer **74**, 101

1,2-di-*O*-alkylglycerophospholipids; Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer **74**, 101

Osmotic fragility; Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); red blood cell **74**, 163

Osmotic stress technique; Hydration force; X-ray diffraction; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester **74**, 17

PGF-M; Prostaglandin F; Metabolite; Amides; Electron ionization; Mass spectrometry **74**, 65

Phase behaviour; Glycolipids; Liquid crystals; Cubic phases **74**, 83

Phase separation; Monolayer membranes; Cholesterol oxidase; Cholesterol; Phosphatidylcholine; Acyl chain length; Lipid interaction; Fluorescence microscopy **74**, 195

Phase transition; Farnesol; Dimyristoylphosphatidylcholine-liposomes **74**, 93

Phosphatidylcholine; Monolayer membranes; Cholesterol oxidase; Cholesterol; Acyl chain length; Lipid interaction; Phase separation; Fluorescence microscopy **74**, 195

Phospholipase A_2; IR reflection absorption spectroscopy; Monolayers; Phospholipids; Enzymatic process **74**, 205

Phospholipases; Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; 1,2-di-*O*-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipid transfer **74**, 101

Phospholipid synthesis; Cyclic platelet activating factor analogue; Cyclic thioether; Chiral sulphur compound **74**, 73

Phospholipid transfer; Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; 1,2-di-*O*-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases **74**, 101

Phospholipids; IR reflection absorption spectroscopy; Monolayers; Phospholipase A_2; Enzymatic process **74**, 205

Phosphonic acid dibutyl ester; Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; POPC **74**, 17

Plasmalogens; 1-*O*-alkyl-2-acylglycerophospholipids; 1,2-di-*O*-alkylglycerophospholipids; Cytostatic ether lipids; Phospholipases; Phospholipid transfer **74**, 101

***n*-3 *trans* Polyunsaturated fatty acids**; Wittig reaction; Catalyzed acetylenic coupling; β,γ-Unsaturated aldehydes **74**, 185

POPC; Hydration force; Osmotic stress technique; X-ray diffraction; Mixed lipid bilayers; Phosphonic acid dibutyl ester **74**, 17

Prostaglandin F; Metabolite; PGF-M; Amides; Electron ionization; Mass spectrometry **74**, 65

Red blood cell; Adsol; Anticoagulant; Tirilazad mesylate (U-74,006f); Osmotic fragility **74**, 163

Solubility of fatty acids; Fatty acid; Adsorption; Freundlich's adsorption isotherm; Aqueous solution; Liposomes **74**, 43

Thermotropic properties; Cholesterol; Vitamin D_3; Lipid chains **74**, 25

Tirilazad mesylate (U-74,006f); Adsol; Anticoagulant; red blood cell; Osmotic fragility **74**, 163

***Trans* linolenic acids synthesis**; [1-^{14}C]-labelled fatty acids; Wittig reaction **74**, 175

β,γ-Unsaturated aldehydes; Wittig reaction; Catalyzed acetylenic coupling; *n*-3 *trans* Polyunsaturated fatty acids **74**, 185

Vitamin D_3; Cholesterol; Thermotropic properties; Lipid chains **74**, 25

Wittig reaction; *Trans* linolenic acids synthesis; [1-^{14}C]-labelled fatty acids **74**, 175

Wittig reaction; Catalyzed acetylenic coupling; β,γ-Unsaturated aldehydes; *n*-3 *trans* Polyunsaturated fatty acids **74**, 185

X-ray diffraction; Hydration force; Osmotic stress technique; Mixed lipid bilayers; POPC; Phosphonic acid dibutyl ester **74**, 17